

# CONFIDENTIAL CSD PRICE LIST EFFECTIVE APRIL 7, 2010

Current Part #	PCK	DESCRIPTION	MSRP	Notes
457	P2C	GLASSTREK GLASSBREAK DETECTOR	\$52.76	Replaced 456
459	P2C	TESTREK V2.0 FOR TESTING GLASSTREK	\$153.62	
460	P2C	PARADOOR VERTICAL VIEW MOTION DETECTOR	\$65.18	
476	P2C	PRO+ PIR WITH HIGH EMI/RFI REJECTION	\$23.14	
646	G2K	24 ZONE LED KEYPAD (VERTICAL)	\$69.06	
950	P2C	SAFE PROTECTOR	\$173.78	
2661000902	P2C	WIDE ANGLE-2 LENS	\$10.54	
2661000903	P2C	WIDE ANGLE-3 LENS	\$10.54	
2661000904	P2C	LONG RANGE-1 LENS	\$10.54	
2661000905	P2C	LONG RANGE-2 LENS	\$10.54	
2661000906	P2C	LONG RANGE-3 LENS	\$10.54	
2661000907	P2C	LONG RANGE-4 LENS	\$10.54	
2661000908	P2C	CURTAIN-1 LENS	\$10.54	
2661000909	P2C	PET ALLEY-1 LENS	\$10.54	
2780000020	P2C	METAL BOX 8X10X3	\$21.32	
2780000030	P2C	METAL BOX 11X11X3	\$30.24	
0770318000	P2C	CABLE FOR SERVICE KEYPAD PROGRAMMING	\$9.16	
0778708100	P2C	MAGELLAN/GRAFICA TO 307USB ADAPTER CABLE	\$10.50	
2WPGM	K9A	MAGELLAN 2-WAY WIRELESS PGM	\$128.46	
307USB	P2C	DIRECT CONNECT INTERFACE	\$92.32	
320S	P2C	PHONE LINE PROTECTOR	\$24.24	
476PET	P2C	PRO+ MOTION DETECTOR WITH PET IMMUNITY	\$26.18	
525D	P2C	MICROWAVE AND INFRARED DIGITAL MOTION DETECTOR	\$72.94	Non UL
728ULT	U4G	10 ZONE CONTROL PANEL, 8X10X3 METAL BOX, 476 MOTION DETECTOR	\$104.16	
910WP	P2C	MOUNTING PLATE FOR POSIPROX AND POSIPIN	\$15.20	
915WP	V5C	GANG PLATE COVER FOR DGP-R915B (BLACK)	\$13.52	
915WP	G4K	GANG PLATE COVER FOR DGP-R915W (WHITE)	\$13.52	
915WP	G4N	GANG PLATE COVER FOR DGP-R915S (SILVER)	\$22.48	
ACM12	E9R	4-WIRE ACCESS CONTROL MODULE, NO METAL BOX	\$199.54	Special Order Only
ACM12	G4N	4-WIRE ACCESS CONTROL MODULE, 8X10X3 METAL BOX	\$221.18	
ADM2	G2K	VOICE ASSISTED ARM/DISARM MODULE	\$152.04	
ADP1	P2C	TELEPHONE LINE ADAPTER	\$76.44	
ANC1	P2C	ANNUNCIATOR MODULE	\$131.86	
B5000	N7H	BRIEFCASE STYLE DISPLAY INCLUDES K10V	\$282.36	Special Order Only
B5050	K9A	MAGELLAN BRIEFCASE STYLE DISPLAY	\$339.66	Special Order Only
B6000	R2H	SPECTRA BRIEFCASE STYLE DISPLAY WITH K10V KEYPAD	\$308.14	
B6160	K9A	MAGELLAN BRIEFCASE DISPLAY	\$526.32	Special Order Only
BK07	P2C	GRAFICA BRIEFCASE STYLE DISPLAY	\$1,157.24	Special Order Only
BSTAYD	P2C	STAYD BRIEFCASE STYLE DISPLAY	\$468.76	Special Order Only

# CONFIDENTIAL CSD PRICE LIST EFFECTIVE APRIL 7 2010

C702	E6G	STANDARD PROXIMITY CARD (CLAMSHELL)	\$5.26	
C704	E6G	BLUE PROXIMITY KEY TAG	\$9.54	
C706	E6G	ISO PRINTABLE PROXIMITY CARD ( GLOSS )	\$12.12	
CRATE1WD	P2C	SHIPPING CRATE - 1 WALL DISPLAYS - REQUIRED WHEN SHIPPING WALL DISPLAY	\$794.34	Special Order Only
CRATE2WD	P2C	SHIPPING CRATE - 2 WALL DISPLAYS - REQUIRED WHEN SHIPPING WALL DISPLAY	\$868.80	Special Order Only
CRATE3WD	P2C	SHIPPING CRATE - 3 WALL DISPLAYS - REQUIRED WHEN SHIPPING WALL DISPLAY	\$946.36	Special Order Only
CRATE4WD	P2C	SHIPPING CRATE - 4 WALL DISPLAYS - REQUIRED WHEN SHIPPING WALL DISPLAY	\$1,026.46	Special Order Only
CV4USB	P2C	RS-485/RS-232 CONVERTER KIT	\$297.88	
CV85	N7N	FRONT COVER WITH LENS L1 HORIZONTAL CURTAIN BEAM	\$52.90	
CV85	Q7F	FRONT COVER WITH LENS L2 VERTICAL CURTAIN BEAM	\$52.90	
DCT10	K9A	WIRELESS 2 ZONE LONG RANGE DOOR CONTACT	\$80.22	
DCT2	K9A	WIRELESS ULTRA SMALL DOOR CONTACT	\$88.90	
DCTXP2	G3H	WIRELESS 2 ZONE WIRELESS DOOR CONTACT	\$80.22	
DG457	P2C	GLASSBREAK BUS DETECTOR	\$67.48	
DG466	P2C	PARADOME DIRECTIONAL CEILING MOUNTED DIGITAL MOTION DETECTOR	\$66.62	
DG467	P2C	360° CEILING MOUNT BUS PIR	\$61.60	
DG483	P2C	ELEGANCE DIGITAL MOTION DETECTOR	\$32.60	
DG55	P2C	DIGIGARD DUAL ELEMENT DIGITAL MOTION DETECTOR	\$31.06	
DG65	P2C	DIGIGARD QUAD ELEMENT DIGITAL MOTION DETECTOR	\$39.88	Special Order Only
DG75	P2C	DIGIGARD HIGH SECURITY DIGITAL MOTION DETECTOR WITH PET IMMUNITY	\$47.94	
DG85C	K7V	OUTDOOR HIGH SECURITY DIGITAL MOTION DETECTOR W/FORM C RELAY (WHITE)	\$190.04	
DM50	P2C	DUAL ELEMENT BUS PIR	\$53.78	
DM60	P2C	QUAD ELEMENT BUS PIR	\$65.38	
DM70	P2C	DUAL OPTIC PET IMMUNE BUS PIR	\$65.14	
E55	D6Q	4-32 ZONE CONTROL PANEL	\$131.24	
E55	W6M	4-32 ZONE CONTROL PANEL, K10V LED KEYPAD, 8X10X3 METAL BOX, 476 MOTION DETECTOR	\$181.52	
EVO192	D6Q	DIGIPLX EVO 192-ZONE CONTROL PANEL WITH NO METAL BOX	\$320.32	Non UL (Special Order Only)
EVO192	F9T	DIGIPLX EVO 192-ZONE CONTROL PANEL, 11X11X3 METAL BOX (REQUIRES PURCHASE OF K641 KEYPAD)	\$342.50	Non UL (Special Order Only)
EVO192	X3B	DIGIPLX EVO 192-ZONE CONTROL PANEL AND K641 LCD KEYPAD IN A 11X11X3 METAL BOX	\$393.44	Non UL
EVO48	M8X	DIGIPLX EVO 48-ZONE CONTROL PANEL WITH NO METAL BOX	\$195.70	Non UL (Special Order Only)
EVO48	P3Y	DIGIPLX EVO 48-ZONE CONTROL PANEL WITH 11X11X3 METAL BOX (REQUIRES PURCHASE OF K641 KEYPAD)	\$217.94	Non UL (Special Order Only)
EVO48	J6J	DIGIPLX EVO 48-ZONE CONTROL PANEL AND K641 LCD KEYPAD IN A 11X11X3 METAL BOX	\$337.56	Non UL
EXT	E5T	12" ANTENNA EXT FOR PCS200	\$33.86	
EXT	H4S	24" ANTENNA EXT FOR PCS200	\$50.78	
EXT	Y8W	60' FT ANTENNA FOR PCS200	\$86.80	
EXT	Z7F	6' ANTENNA EXT FOR PCS200	\$21.10	
HUB2	G4N	HUB & BUS ISOLATOR IN A 8X10X3 METAL BOX	\$180.78	
HUB4D	P2C	4 PORT HUB AND BUS ISOLATOR MODULE (EVO SERIES ONLY)	\$598.64	<b>NEW PRODUCT RELEASE</b>
IP100	P2C	IP100 INTERNET MODULE	\$341.30	
IPR512	V5J	IP MONITORING RECEIVER	\$3,285.50	<b>FCC, CE AND ETL APPROVED</b>
K07	W4H	GRAFICA : GRAPHIC COLOR LCD KEYPAD IN CHAMPAGNE FINISH WITH DNE-TEMP	\$600.74	
K07	X3P	GRAFICA : GRAPHIC COLOR LCD KEYPAD IN SILVER FINISH WITH DNE-TEMP	\$600.74	

# CONFIDENTIAL CSD PRICE LIST EFFECTIVE APRIL 7 2010

K10V	N3Q	10-ZONE HARDWIRED LED KEYPAD MODULE	\$94.66	
K32	N3Q	32-ZONE HARDWIRED LED KEYPAD MODULE	\$117.90	
K32LCD	N3Q	32-ZONE HARDWIRED LCD KEYPAD MODULE	\$195.54	CP01 APPROVED KEYPAD
K32W	T7W	32-ZONE WIRELESS LED KEYPAD, COMPATIBLE (FOR MG6130/6160)	\$201.72	
K35	N3Q	32-ZONE HARDWIRED FIXED LCD KEYPAD MODULE	\$147.68	<b>REPLACES K32I</b>
K37	T7W	32-ZONE WIRELESS FIXED LCD KEYPAD MODULE	\$249.80	<b>REPLACES K32IRF</b>
K641	N3Q	32-CHARACTER BLUE LCD KEYPAD	\$179.40	
K641R	N3Q	32-CHARACTER BLUE LCD KEYPAD MODULE WITH INTEGRATED CARD READER	\$295.82	
K648	N3Q	BLUE 48 ZONE LED KEYPAD MODULE	\$181.66	
LSN4	B9H	LISTEN-IN SUBSTATION IN 11X11X3 METAL BOX	\$490.28	Compatible with EVO panel only
MG5000	B6A	MAGELLAN 32-ZONE WIRELESS TRANSCEIVER CONTROL PANEL BOARD ONLY	\$193.10	Non UL (Special Order Only)
MG5000	P4S	MAGELLAN 32-ZONE WIRELESS TRANSCEIVER CONTROL PANEL WITH REM1, 8X10X3 METAL BOX. <b>(REQUIRES PURCHASE OF K SERIES KEYPAD)</b>	\$153.76	Non UL
MG5000	A9B	MAGELLAN 32-ZONE WIRELESS TRANSCEIVER CONTROL PANEL WITH REM2, 8X10X3 METAL BOX. <b>(REQUIRES PURCHASE OF K SERIES KEYPAD)</b>	\$176.86	Non UL (Special Order Only)
MG5050	B6A	MAGELLAN 32-ZONE WIRELESS TRANSCEIVER CONTROL PANEL, BOARD ONLY	\$210.70	Non UL (Special Order Only)
MG5050	Y9B	MAGELLAN 32-ZONE WIRELESS TRANSCEIVER CONTROL PANEL WITH REM1, 11X11X3 METAL BOX <b>(REQUIRES PURCHASE OF K SERIES KEYPAD)</b>	\$217.22	Non UL
MG5050	A6Q	MAGELLAN 32-ZONE WIRELESS TRANSCEIVER CONTROL PANEL WITH REM2, 11X11X3 METAL BOX <b>(REQUIRES PURCHASE OF K SERIES KEYPAD)</b>	\$238.94	Non UL (Special Order Only)
MG6130	X7D	MAGELLAN 32 ZONE ALL IN ONE WITH REM1	\$440.62	Non UL
MG6130	Z6C	MAGELLAN 32 ZONE ALL IN ONE WITH REM2	\$459.22	Non UL
MG6160	X7D	MAGELLAN 32 ZONE ALL IN ONE WIRELESS CONSOLE WITH REM1	\$511.02	Non UL
MG6160	Z6C	MAGELLAN 32 ZONE ALL IN ONE WIRELESS CONSOLE WITH REM2	\$558.52	Non UL
NEWACC	P2C	NE WARE END USER MANAGEMENT SOFTWARE SECURITY AND ACCESS CONTROL EDITION VERSION 4.0	\$545.52	Compatible with EVO Panels Only
NEWACCV3	P2C	NE WARE END USER MANAGEMENT SOFTWARE SECURITY AND ACCESS CONTROL EDITION VERSION 3.0	\$545.52	Compatible with NE96 panels Only
NEWSEC	P2C	NE WARE END USER MANAGEMENT SOFTWARE SECURITY EDITION VERSION 4.0	\$327.36	Compatible with EVO Panels Only
NEWSECV3	P2C	NE WARE END USER MANAGEMENT SOFTWARE SECURITY EDITION VERSION 3.0	\$327.36	Compatible with NE96 panels Only
PA12	V5J	13.8 VDC POWER ADAPTER PLUG	\$29.52	
PA6	V5J	6 VDC POWER ADAPTER PLUG (FOR K32W)	\$21.00	
PBOX	P2C	PLASTIC ENCLOSURE	\$17.36	
PCS200	F8Z	GPRS/GSM COMMUNICATOR MODULE	\$453.14	<b>FCC, CE AND ETL APPROVED. New Product Release</b>
PGM4	P2C	4 PGM EXPANSION MODULE	\$97.00	
PMC5	P2C	HAND-HELD PLUG-IN USB MEMORY KEY	\$69.30	
PMD1P	K9A	WIRELESS ANALOG SINGLE OPTIC MOTION DETECTOR WITH PET IMMUNITY	\$127.24	
PMD75	K9A	DIGITAL DUAL OPTIC HIGH PERFORMANCE PIR (90LB TRUE PET IMMUNITY)	\$145.84	
PMD85	Y6K	OUTDOOR DIGITAL DUAL OPTIC HIGH PERFORMANCE PIR (90LB TRUE PET IMMUNITY)	\$206.96	
PRT3	G2K	INTEGRATION MODULE	\$319.60	
PS17	G4N	POWER SUPPLY MODULE IN A 8X10X3 METAL BOX	\$133.20	
PS817	P2C	SWITCHING POWER SUPPLY	\$30.40	
PX8	P2C	OUTPUT MODULE FOR MAGELLAN TRANSCEIVER, REQUIRES RTX3	\$88.44	
R870	V5C	PROXIMITY CARD READER IN BLACK	\$139.32	
R890	P2C	INDOOR/OUTDOOR EXTENDED RANGE PROXIMITY READER	\$651.68	

# CONFIDENTIAL CSD PRICE LIST EFFECTIVE APRIL 7, 2010

R910	P2C	4-WIRE INDOOR/OUTDOOR PROXIMITY READER	\$145.62	Replaces CR-R880-BL
R915	V5C	INDOOR/OUTDOOR ACCESS CARD READER AND KEYPAD (BLACK)	\$155.78	Replaces CR-885BL
R915	G4K	INDOOR/OUTDOOR ACCESS CARD READER AND KEYPAD (WHITE)	\$155.78	Replaces CR-885BL
R915	G4N	INDOOR/OUTDOOR ACCESS CARD READER AND KEYPAD (SILVER)	\$164.16	Replaces CR-885BL
RAC1	K9A	REMOTE CONTROL WITH INTEGRATED ACCESS CARD	\$64.74	
RAC2	K9A	MAGELLAN 2 WAY REMOTE CONTROL WITH INTEGRATED ACCESS CARD	\$103.78	
REM1	K9A	4 BUTTON REMOTE CONTROL WITH BACKLIT BUTTONS	\$61.00	
REM2	K9A	MAGELLAN 2 WAY REMOTE CONTROL WITH BACKLIT BUTTONS	\$95.82	
REM3	K9A	HAND HELD 2 WAY REMOTE KEYPAD	\$121.02	
RPT1	X7A	WIRELESS REPEATER MODULE IN A 8X10X3 METAL BOX	\$217.30	Compatible with MG and SP using RTX3
RTX3	B7K	WIRELESS EXPANSION MODULE WITH REM1	\$170.52	
RTX3	J8F	WIRELESS EXPANSION MODULE WITH REM2	\$192.44	
SB469	P2C	SWIVEL MOUNT BRACKET	\$8.38	
SB85	P2C	HEAVY DUTY OUTDOOR SWIVEL BRACKET (WHITE)	\$19.12	
SD738	K9A	EVERDAY WIRELESS SMOKE DETECTOR	\$144.60	
SP6000	M8X	SPECTRA SP 8-ZONE, EXPANDABLE TO 32 ZONE CONTROL PANEL WITH STAYD, BOARD ONLY	\$185.86	Non UL (Special Order Only)
SP6000	F3P	SPECTRA SP 8-ZONE, EXPANDABLE TO 32 ZONE CONTROL PANEL WITH STAYD, 8X10X3 METAL BOX (REQUIRES PURCHASE OF K SERIES KEYPAD)	\$128.78	Non UL (Special Order Only)
SP6000	P3Y	SPECTRA SP 8-ZONE, EXPANDABLE TO 32 ZONE CONTROL PANEL WITH STAYD, 11x11x3 METAL BOX (REQUIRES PURCHASE OF K SERIES KEYPAD)	\$139.42	Non UL (Special Order Only)
SP6000	M8U	SPECTRA SP 8-ZONE, EXPANDABLE TO 32 ZONE CONTROL PANEL WITH STAYD, 8X10X3 METAL BOX, K10V KEYPAD, RELAY, 476+ MOTION	\$248.32	<b>UL APPROVED</b>
SP6000	Q4K	SPECTRA SP 8-ZONE, EXPANDABLE TO 32 ZONE CONTROL PANEL WITH STAYD, 8X10X3 METAL BOX, K32LCD KEYPAD, RELAY, 476+ MOTION	\$338.94	<b>UL &amp; CPO1 APPROVED</b> (Special Order Only)
SR150	C6P	WIRELESS SIREN WITH BUILTIN STROBE LIGHT REQUIRES 3 X ALKALINE "D" size BATTERIES (INCLUDED)	\$344.36	Compatible with MG and SP using RTX3
SRLENS	G8Z	LENS FOR WIRELESS SIREN, AMBER	\$25.20	
SRLENS	K8S	LENS FOR WIRELESS SIREN, CLEAR	\$25.20	
SRLENS	U7N	LENS FOR WIRELESS SIREN, BLUE	\$25.20	
SRLENS	X9D	LENS FOR WIRELESS SIREN, RED	\$25.20	
SUB1	P2C	LISTEN-IN SUBSTATION (CONNECT UP TO 4 TO LSN4)	\$155.16	
TEMP07	P2C	TEMPERATURE SENSOR	\$58.22	
TK278	P2C	TAMPER KIT	\$10.10	
UDS	P2C	WINLOAD AND ESPLOAD UPLOAD/DOWNLOAD SOFTWARE	\$34.12	
UIP256	P2C	UNIVERSAL IN-FIELD PROGRAMMER	\$182.04	
VD710	G2K	PARAVOX VOICE DIALER	\$173.02	
VDMP3	G2K	PLUG IN VOICE MODULE	\$82.24	
W6160	M2M	MAGELLAN WALL DISPLAY LAMINATED WITH PRODUCT	\$1,557.22	Special Order Only
W7585	U9B	MOTION DETECTOR (ALL) WALL DISPLAY	\$730.10	

# CONFIDENTIAL CSD PRICE LIST EFFECTIVE APRIL 7, 2010

WEVO	U9B	EVO48/EVO192 WALL DISPLAY LAMINATED WITH PRODUCTS	\$1,628.16	Special Order Only
WK07	U9B	GRAFICA WALL DISPLAY LAMINATED WITH PRODUCTS	\$1,095.14	Special Order Only
WMGSP	M2M	MAGELLAN/SPECTRA SP WALL DISPLAY LAMINATED WITH PRODUCTS	\$1,119.42	Special Order Only
ZC1	P2C	DOOR CONTACT MODULE	\$48.36	
ZX1	P2C	1 ZONE EXPANSION MODULE	\$36.42	
ZX16D	P2C	16 ZONE/INPUT EXPANSION MODULE (EVO SERIES ONLY)	\$320.70	NEW PRODUCT RELEASE
ZX32D	P2C	32 ZONE/INPUT EXPANSION MODULE (EVO SERIES ONLY)	\$684.10	NEW PRODUCT RELEASE
ZX4	P2C	4 ZONE EXPANSION MODULE	\$58.96	
ZX8	P2C	8 ZONE EXPANSION MODULE	\$89.82	
ZX8D	P2C	8 ZONE/INPUT EXPANSION MODULE (EVO SERIES ONLY)	\$235.18	NEW PRODUCT RELEASE
ZX8SP	P2C	8 ZONE EXPANSION	\$68.10	
Part Number	PCK	DESCRIPTION	MSRP	Notes
<< IMPERIAL >>				
ACM24D	P2C	2 Door, 4 Reader Access Control Module. Stand-alone operation via V32's independent 4-wire RS485 Access port (1000m/3000ft); all data is transferred to the ACM24D to ensure it continues to operate normally even if communication with the control panel is lost. Firmware upgradeable via Multibus using RS-485 at 57.6Kbps. All programming is done using BabyWare PC Software. DIN rail enclosure with removable terminals for fast, secure, orderly and economic installations. Supports 35mm DIN Rail mounting. SAS mode (one man trap, two-door access). Anti-passback operation. Simple 4-wire connections between readers, module and controller. One reader port supports up to four R910 and/or R915 4-wire card readers (up to 500mA). 4 inputs for 2 REX devices and 2 door. Contacts. 2 lock outputs (6-12Vdc at 1A each). Lock output power jumper (select internal or external power supply). 2 external negative triggers: connect a PGM or push-button to unlock the door. 2 buttons to manually lock/unlock doors (illuminates to show status). 2.85A switching power supply. Transformer sharing: modules can	\$697.70	
DB608D	P2C	Imperial DIN Mount Metal Box. Size: 23.5/8"X29.59/64"X7.7/8". Holds the Imperial controller and at least 10 modules including their backup batteries. Provides fast, economical, and orderly system installations. Wiring is convenient and easy to run and connect. All Imperial DIN modules include an extensive LED display for module status and troubleshooting, and manual/local control for testing and emergency operation, which are accessible when installed in the DIN metal box.	\$1,350.30	
DGI85	P2C	Outdoor Dual-Optic BUS PIR.	\$192.08	
DIM1D	P2C	1 Channel Light Dimmer Module. One high-voltage channel for phase control dimming, and Mark X fluorescent dimming or 0-10V fluorescent dimming. Output rating is 1000W@230V / 520W@120V. Maximum load of 4.4A. Connects to Imperial 4-wire Multibus. Firmware upgradeable via Multibus using RS-485 at 57.6Kbps. On-board buttons to manually control dim level. Dim intensity LED display.	\$562.62	
DIM4D	P2C	4 Channel Light Dimmer Module. Four high-voltage channel for phase control dimming. Output rating is 1000W@230V / 520W@120V. Maximum load of 4.4A per channel (15A total). Connects to Imperial 4-wire Multibus. Firmware upgradeable via Multibus using RS-485 at 57.6Kbps. On-board buttons to manually control dim level (per channel). Dim intensity LED display (per channel).	\$1,260.30	
DIN RAIL	P2C	Imperial DIN Rail 39.37" long	\$17.98	
DMI50	P2C	Dual Element BUS PIR. Compatible with Imperial and Digiplex EVO, and communicates through the 4-wire bus. Provides Patented Digital Motion Detection, patented Digital Auto Pulse Signal Processing, and a range of 40ft X 40ft with 110° viewing angle.	\$52.38	
DMI60	P2C	Dual Element BUS PIR. Compatible with Imperial and Digiplex EVO, and communicates through the 4-wire bus. Provides Patented Digital Motion Detection, patented Digital Auto Pulse Signal Processing, Digital Dual Opposed Detection, Interlock Sensor Geometry (ISG), and a range of 40ft X 40ft with 110° viewing angle.	\$63.66	
DMI70	P2C	Dual Element BUS PIR. Compatible with Imperial and Digiplex EVO, and communicates through the 4-wire bus. Provides superior pet immunity using a patented combination of advanced optics and patented digital processing technologies. Provides 90lbs pet immunity, dual optics (2 dual opposed element sensors), patented Digital Motion Detection, patented Digital Auto Pulse Signal Processing, and a range of 35ft X 35ft range with 90° viewing angle.	\$69.84	
HUB4D	P2C	4 Port Hub and Bus Isolator Module. Divides one bus input into four completely isolated outputs (if one output fails, the others will continue to function). Each output port provides communications up to 900m (3000ft). Opto-isolated ports provide protection from high-voltage spikes (ideal for exterior lines). Firmware upgradeable via Multibus using RS-485 at 57.6Kbps. On-board buttons to manually activate or deactivate each hub output.	\$598.64	
HV8D	P2C	4 Channel Motor Control Module. 8 high-voltage relay outputs (110/240V, 10A resistive load). Control 1/2hp motors (max 8A). Relay mode (8 high-voltage devices). Shutter mode (up/down control of 4 shutters, calibration mode for open/close timing, emergency stop, and global up/down). Connects to Imperial 4-wire Multibus. Firmware upgradeable via Multibus using RS-485 at 57.6Kbps. 8 on-board buttons to manually control each output (illuminates to show status).	\$495.12	
JCB8	P2C	Junction Box	\$40.50	
K651	N3Q	Imperial 32 Character LCD Keypad. Connects to Multibus: 4-wire encrypted 13.8Vdc communication bus at 500bps. Firmware upgradeable via Multibus using RS-485 at 57.6Kbps. All programming is done using BabyWare PC Software. Display the status of up to 4 partitions and 384 zones. 32-character blue LCD with programmable labels. Zone alarm display: the zones in alarm are shown until the system is disarmed. 1 zone/input. Chime zones set per keypad. 14 one-touch action buttons. 3 keypad activated panic alarms. Adjustable backlight, contrast and scroll speed. Display time using the 12Hr or 24Hr format. Without tamper switch	\$315.08	
K651	N7M	Imperial 32 Character LCD Keypad. Connects to Multibus: 4-wire encrypted 13.8Vdc communication bus at 500bps. Firmware upgradeable via Multibus using RS-485 at 57.6Kbps. All programming is done using BabyWare PC Software. Display the status of up to 4 partitions and 384 zones. 32-character blue LCD with programmable labels. Zone alarm display: the zones in alarm are shown until the system is disarmed. 1 zone/input. Chime zones set per keypad. 14 one-touch action buttons. 3 keypad activated panic alarms. Adjustable backlight, contrast and scroll speed. Display time using the 12Hr or 24Hr format. With tamper switch	\$328.36	
LV8D	P2C	8 Low Voltage Output Module. 8 solid-state relay outputs (0-24V AC/DC, 250mA each). Connects to Imperial 4-wire Multibus. Firmware upgradeable via Multibus using RS-485 at 57.6Kbps. 8 on-board buttons to manually control each output (illuminates to show status).	\$337.58	
MCB1H	P2C	Combo Wall Switch with 4 Switches & 1 Dial, in white, Horizontal Mount. Combines 4 buttons and 1 rotary dial to control/dim any output (lights, sprinklers, etc.) or macro (group of outputs). Set buttons in Toggle mode (1 button on/off) or Switch Mode (1 button on / 1 button off). Global button to control an alternate device or macro. Connects to Imperial 4-wire Multibus. Firmware upgradeable via Multibus using RS-485 at 57.6Kbps.	\$198.04	

# CONFIDENTIAL CSD PRICE LIST EFFECTIVE APRIL 7, 2010

MCB1V	P2C	Combo Wall Switch with 4 Switches & 1 Dial, in white, Vertical Mount. Combines 4 buttons and 1 rotary dial to control/dim any output (lights, sprinklers, etc.) or macro (group of outputs). Set buttons in Toggle mode (1 button on/off) or Switch Mode (1 button on / 1 button off). Global button to control an alternate device or macro. Connects to Imperial 4-wire Multibus. Firmware upgradeable via Multibus using RS-485 at 57.6Kbps.	\$198.04	
MSA4H	P2C	Wall Mount with 4 Switches in white, Horizontal mount. 4 buttons to control any output (lights, sprinklers, etc.) or macros (group of outputs). Set buttons in Toggle mode (1 button on/off) or Switch Mode (1 button on / 1 button off). Activation status LED per button with backlit button identification. Connects to Imperial 4-wire Multibus. Firmware upgradeable via Multibus using RS-485 at 57.6Kbps.	\$171.06	
MSA4V	P2C	Wall Mount with 4 Switches in white, Vertical mount. 4 buttons to control any output (lights, sprinklers, etc.) or macros (group of outputs). Set buttons in Toggle mode (1 button on/off) or Switch Mode (1 button on / 1 button off). Activation status LED per button with backlit button identification. Connects to Imperial 4-wire Multibus. Firmware upgradeable via Multibus using RS-485 at 57.6Kbps.	\$171.06	
MSA8H	P2C	Wall Mount with 8 Switches in white, Horizontal mount. 8 buttons to control any output (lights, sprinklers, etc.) or macros (group of outputs). Set buttons in Toggle mode (1 button on/off) or Switch Mode (1 button on / 1 button off). Activation status LED per button with backlit button identification. Connects to Imperial 4-wire Multibus. Firmware upgradeable via Multibus using RS-485 at 57.6Kbps.	\$198.04	
MSA8V	P2C	Wall Mount with 8 Switches in white, Vertical mount. 8 buttons to control any output (lights, sprinklers, etc.) or macros (group of outputs). Set buttons in Toggle mode (1 button on/off) or Switch Mode (1 button on / 1 button off). Activation status LED per button with backlit button identification. Connects to Imperial 4-wire Multibus. Firmware upgradeable via Multibus using RS-485 at 57.6Kbps.	\$198.04	
MVCA2	P2C	Wall Dimmer with 2 Dials. 2 rotary dials with push on/off action to dim outputs, such as lights or shutters or macros (group of outputs). Displays light intensity or shutter position. Global button to control an alternate device or macro. Adjustable light intensity. Connects to Imperial 4-wire Multibus. Firmware upgradeable via Multibus using RS-485 at 57.6Kbps.	\$198.04	
PS100D	P2C	Imperial Power Supply Module	\$216.02	
PS27D	P2C	4 Output, 2.85A Power Supply Module. Connects to Multibus: 4-wire encrypted 13.8Vdc communication bus at 500bps. Firmware upgradeable via Multibus using RS-485 at 57.6Kbps. All programming is done using BabyWare PC Software. DIN rail enclosure with removable terminals for fast, secure, orderly and economic installations. Supports 35mm DIN Rail mounting. 2.85A switching power supply. Transformer sharing: modules can share a central AC supply (16 to 24Vac). 4 auxiliary outputs providing at up to 500mA each. Auxiliary outputs can be used in parallel to increase output current. View voltage (3 digits) and amperage (3 digits) via 7-segment display. View individual outputs, sum of paralleled outputs or sum of all outputs. 4 buttons to manually activate/deactivate outputs (illuminate to show status). Auxiliary outputs can be used as PGMs. Fully supervised (AC, battery, low battery and auxiliary limit). Selectable battery charge current (350mA/850mA). Includes labels to identify each auxiliary output.	\$405.08	
RW485D	P2C	Din Wiegand 26-Bit Converter	\$122.14	<b>NEW PRODUCT RELEASE</b>
Tie Wrap	P2C	Tie Wraps, in bags of 1000	\$250.08	
V32	P2C	The Imperial Controller provides integration of home automation, access control and security. Maximum of 511 bus modules, 64 access control doors, 32 partitions, 384 zones/inputs, 999 user codes. Built-in Multibus, TCP/IP port, USB port, and E-BUS port (1GS200 GPRS module). Firmware upgrade for panel and multiple bus modules via Multibus using RS-485 at 57.6Kbps. Includes BabyWare PC software for installer/end user programming and operation.	\$1,687.88	
V32LIC	P2E	4 Access Doors with 8 Controlled Outputs (Standard)	Included	
V32LIC	M8B	4 Access Doors (Included) with 32 Controlled Outputs	\$2,400.52	
V32LIC	H7T	4 Access Doors (Included) with 64 Controlled Outputs	\$4,801.04	
V32LIC	J5R	4 Access Doors (Included) with 128 Controlled Outputs	\$9,602.46	
V32LIC	J4C	4 Access Doors (Included) with 192 Controlled Outputs	\$14,403.52	
V32LIC	X3U	4 Access Doors (Included) with 256 Controlled Outputs	\$19,204.58	
V32LIC	R6X	4 Access Doors (Included) with 384 Controlled Outputs	\$24,965.92	
V32LIC	T7Y	4 Access Doors (Included) with 512 Controlled Outputs	\$33,288.12	
V32LIC	P5G	16 Access Doors with 8 Included Controlled Outputs	\$1,500.36	
V32LIC	R2Y	16 Access Doors with 32 Controlled Outputs	\$3,900.90	
V32LIC	D4Y	16 Access Doors with 64 Controlled Outputs	\$6,301.42	
V32LIC	T5E	16 Access Doors with 128 Controlled Outputs	\$11,102.82	
V32LIC	B4T	16 Access Doors with 192 Controlled Outputs	\$15,903.88	
V32LIC	J7C	16 Access Doors with 256 Controlled Outputs	\$20,704.94	
V32LIC	U6F	16 Access Doors with 384 Controlled Outputs	\$26,466.28	
V32LIC	S3E	16 Access Doors with 512 Controlled Outputs	\$34,788.50	
V32LIC	X6H	32 Access Doors with 8 Included Controlled Outputs	\$4,000.94	
V32LIC	B5G	32 Access Doors with 32 Controlled Outputs	\$6,401.48	
V32LIC	N4T	32 Access Doors with 64 Controlled Outputs	\$8,802.00	
V32LIC	E7U	32 Access Doors with 128 Controlled Outputs	\$13,603.40	
V32LIC	J7G	32 Access Doors with 192 Controlled Outputs	\$18,404.46	
V32LIC	B2N	32 Access Doors with 256 Controlled Outputs	\$23,205.52	
V32LIC	J4Z	32 Access Doors with 384 Controlled Outputs	\$28,966.86	
V32LIC	W7X	32 Access Doors with 512 Controlled Outputs	\$37,289.08	
V32LIC	Q8A	48 Access Doors with 8 Included Controlled Outputs	\$7,751.92	
V32LIC	R7E	48 Access Doors with 32 Controlled Outputs	\$10,152.44	
V32LIC	N7E	48 Access Doors with 64 Controlled Outputs	\$12,552.98	
V32LIC	C2X	48 Access Doors with 128 Controlled Outputs	\$17,354.38	
V32LIC	S4F	48 Access Doors with 192 Controlled Outputs	\$22,155.46	
V32LIC	B7E	48 Access Doors with 256 Controlled Outputs	\$26,956.50	
V32LIC	W9F	48 Access Doors with 384 Controlled Outputs	\$32,717.82	

# CONFIDENTIAL CSD PRICE LIST EFFECTIVE APRIL 7, 2010

V32LIC	Z4R	48 Access Doors with 512 Controlled Outputs	\$41,040.04	
V32LIC	A2R	64 Access Doors with 8 Included Controlled Outputs	\$12,753.06	
V32LIC	F8B	64 Access Doors with 32 Controlled Outputs	\$15,153.58	
V32LIC	B7J	64 Access Doors with 64 Controlled Outputs	\$17,554.10	
V32LIC	V8N	64 Access Doors with 128 Controlled Outputs	\$22,355.52	
V32LIC	W6B	64 Access Doors with 192 Controlled Outputs	\$27,156.56	
V32LIC	R5W	64 Access Doors with 256 Controlled Outputs	\$31,957.64	
V32LIC	U2K	64 Access Doors with 384 Controlled Outputs	\$37,718.96	
V32LIC	P9E	64 Access Doors with 512 Controlled Outputs	\$46,041.18	
WM100	P2C	Wall Surface Adapter Plate. Surface mount back box for switch module. (MSA4H/V, MSA8H/V, MCB1H/V, MVCA2).	\$13.52	
ZX16D	P2C	16 Zone Input Expansion Module. 16 zone inputs. Connects to 4-wire bus. Firmware upgradeable via bus using RS-485 at 57.6Kbps. 16-LED zone status display. 3-LED module status display.	\$320.72	
ZX32D	P2C	32 Zone Input Expansion Module. 32 zone inputs. Built-in 2.85A switching power supply. Transformer sharing: modules can share a central AC supply (16 to 24Vac). Auxiliary outputs providing up to 700mA. Connects to 4-wire bus. Firmware upgradeable via bus using RS-485 at 57.6Kbps. Button to manually activate/deactivate auxiliary output (illuminates to show status).	\$684.14	
ZX8D	P2C	8 Zone Input Expansion Module. 8 zone inputs. Connects to 4-wire bus. Firmware upgradeable via bus using RS-485 at 57.6Kbps. 8-LED zone status display. 3-LED module status display.	\$235.14	
<b>Part Number</b>	<b>PCK</b>	<b>DESCRIPTION</b>	<b>MSRP</b>	<b>Notes</b>
<b>&lt;&lt; UPG &gt;&gt;</b>				
1250		12 VOLT 5.0 AMP/HR BATTERY	\$27.72	
1280		12 VOLT 8 AMP/HR BATTERY	\$42.20	
1640W		16.5 VOLT 40 VA TRANSFORMER WITH LED - NON RESETTABLE	\$13.58	
1640WR		16.5 VOLT 40 VA TRANSFORMER WITH LED - RESETTABLE	\$17.16	
80004		MAG LOCK, 600 LBS, WITH LED 12/24 VOLT AC/DC	\$188.62	
80006		MAG LOCK, 1200 LBS, WITH LED	\$257.26	
ALARM KIT 1		5AH SBTJ KIT INCLUDES: 1- 5 AMP BATT, 1- SIREN, 1- RJ31, 1- 1640 TRANSFORMER	\$50.66	
RJ31XR	PACK	RJ31X JACK WITH CORD	\$3.08	