

Bogen Pricing Worksheet

TAB 1 of 3

Model No.	Description	List
-----------	-------------	------

Amplifiers

Black Max Dual-Channel Amplifiers

X300	70V Dual-Channel Power Amp, 300W/ch, Seq. Turn-On	1,720.14
X450	70V Dual-Channel Power Amp, 450W/ch, Seq. Turn-On	1,965.89
X600	70V Dual-Channel Power Amp, 600W/ch, Seq. Turn-On	2,187.04
RPK86	Rear Rack Support Brackets for M-Class & Black Max	73.59

M-Class Power Amplifiers

M300	Power Amp, Stereo 300W/ch / Mono 600W	1,962.31
M450	Power Amp, Stereo 450W/ch / Mono 900W	2,259.12
M600	Power Amp, Stereo 600W/ch / Mono 1200W	2,556.14
RPK86	Rear Rack Support Brackets for M-Class & Black Max	73.59

Power Vector Modular Amplifiers

V35	Modular, 8 Input, 35W, Output Module Compatible, Meter	673.22
V60	Modular, 8 Input, 60W, Output Module Compatible, Meter	921.24
V100	Modular, 8 Input, 100W, Output Module Compatible, Meter	1,015.74
V150	Modular, 8 Input, 150W, Output Module Compatible, Meter	1,086.61
V250	Modular, 8 Input, 250W, Output Module Compatible, Meter	1,379.51
RPK87	Rack Mount Kit for Power Vector Amplifiers	58.77
RVCP	Remote Volume Control Panel for Power Vector Amps	59.45
PVSC	Power Vector Amp Front Panel Security Cover	46.11
PVMC	Power Vector Amp Rear Module Security Cover	43.15

Wall-Mount Power Vector Modular Amplifiers

WV100	Modular, 8 Input, 100W, Output Module Compatible, Meter	1,515.51
WV150	Modular, 8 Input, 150W, Output Module Compatible, Meter	1,781.29
WV250	Modular, 8 Input, 250W, Output Module Compatible, Meter	2,397.60
* WMAD	Wall-Mount Amplifier Door	250.11
* BBF	Back Box for Flush Mounting	200.06
* BBS	Back Box for Surface Mounting	246.38
RVCP	Remote Volume Control Panel for Power Vector Amps	59.45

Input Modules

BAL2S	Hi-Z Stereo-Balanced Input, Screw Terminal, Gain Select	100.01
BRG1R	Bridging Module, RCA	107.45
LMM1S	Line/Mic Input, Actively Balanced, Screw Terminal	111.81

LMR1S	Line/Mic Input, Actively Balanced, Screw Terminal, w/ Remote Volume Control	156.62
MAX1R	Mono Aux Input, RCA	92.30
MIC1S	Mic Input, Transformer Balanced, Screw Terminal	135.67
MIC1X	Mic Input, Transformer Balanced, XLR	135.67
MIC2S	Mic Input, Electronically Balanced, Screw Terminal	100.01
MIC2X	Mic Input, Electronically Balanced, XLR	100.01
SAX1R	Stereo Aux Input, Dual RCA	105.05
TBL1S	Transformer Balanced Line Input, Screw Terminal	106.30
TEL1S	Tel Interface, Loop/Ground Start, Dry Loop, Screw Term.	127.55
TNG1S	Tone Generator Input, 4 of 8 Selectable, Screw Terminal	139.38

Signal-Processing Output Modules

**	ANS1R	Ambient Noise Sensor Module (Includes one ANS500M)	369.73
**	ANS500M	Additional Microphone for ANS501 & ANS1R	55.42
**	CMP1R	Compressor Limiter Module	231.94
**	PEQ1R	Parametric Equalizer Module	236.58
**	RIO1S	Relay Input/Output Module	131.31

* For use with all Wall-Mount Power Vector amplifiers.

** For use with all Power Vector amplifiers and VMIX mixer. Not for use with M-Class Amplifiers.

Gold Seal Series Amplifiers

GS35	35-Watt Amplifier, Dual EQ, Audio Enhancement	681.13
GS60	60-Watt Amplifier, Dual EQ, Audio Enhancement	835.26
GS100	100-Watt Amplifier, Dual EQ, Audio Enhancement	951.93
GS150	150-Watt Amplifier, Dual EQ, Audio Enhancement	1,096.05
GS250	250-Watt Amplifier, Dual EQ, Audio Enhancement	1,496.36
GSRPK	Rack Kit for GS Amplifiers	46.68
GSRVC	Remote Volume Control for GS Amplifiers	52.37
GSTRC	Security Cover for GS Amplifiers	39.93

CC-Series Amplifiers

	CC4021	40W; Inputs: 1 AUX, 1 MIC; 1 Priority Level	303.53
	CC4041	40W; Inputs: 1 AUX, 3 MIC; 1 Priority Level	337.26
	CC4052	40W; Inputs: 1 AUX, 3 MIC, 1 TEL; 2 Priority Levels	404.71
NEW	CC4052M	40W; Inputs: 1 AUX, 3 MIC, 1 TEL, Media Player; 2 Priority Levels; MOH	472.16
NEW	CC4062MBT	40W; Inputs: 1 AUX, 3 MIC, 1 TEL, Media Player, Bluetooth; 2 Priority Levels; MOH	528.37
	RPK93	Rack Mount Kit for CC-Series Amplifiers	42.09

Classic Series Mixer Amplifiers

C10	Classic Series 10-Watt Amplifier	321.79
C20	Classic Series 20-Watt Amplifier	406.15
C35	Classic Series 35-Watt Amplifier	563.02

C60	Classic Series 60-Watt Amplifier	717.89
C100	Classic Series 100-Watt Amplifier	828.33
RPK35B	Rack Panel Kit for C10/C20 & CAM2 (3-1/2" High)	90.45
RPK50	Brackets for C35, C60 & C100 (3-1/2" High)	56.48
WMK1	Wall Mounting Kit for C10/C20 & CAM2	400.55

Mono Power Amplifiers

BPA60	60-Watt Amplifier	945.09
HTA125A	125-Watt Rack-Mounting Amplifier	1,175.80
HTA250A	250-Watt Rack-Mounting Amplifier	1,893.33
RPK53	Rack Panel Kit for BPA60 (3-1/2" High)	58.77

General Purpose Amplifiers

GA2	1.5-Watt Amplifier	182.48
GA6A	6-Watt Amplifier	284.89

Modules & Accessories

†	MPS	Microphone Paging Module, Screw Terminals	87.87
---	-----	---	-------

Paging Amplifiers

TPU15A	15-Watt Amplifier w/ ALC	434.12
TPU35B	35-Watt Amplifier w/ ALC & Audio Enhancement	710.83
TPU60B	60-Watt Amplifier w/ ALC & Audio Enhancement	865.88
TPU100B	100-Watt Amplifier w/ ALC & Audio Enhancement	951.75
TPU250	250-Watt Amplifier w/ ALC & Audio Enhancement	1,762.77
TBA15	15-Watt, 2-Way Amplifier	831.12
RPK82	Rack Mount Kit for TPU35/60/100B	55.96

ProMatrix™ Digitally Matrixed, Three-Channel Audio Products

PM3180	3-Channel, Digital Control, 6 In/3 Out, Amplifier	2,236.44
RMPWMK3	Remote Panel Mounting Kit for ProMatrix Front Panel	175.33
RPK79	Rack Mounting Kit for PM3180	82.00

Mixers/Pre-Amplifiers

CAM8PRO	2-channel, 8 input Line/MIC Mixer w/ Compressor	1,070.06
CAM2	Mixer/Pre-amplifier, 4-MIC/1-AUX, Output Meter	563.16
RPK35B	3-1/2" High Rack Panel Kit for C10, C20 & CAM2	90.45
VMIX	Modular, 8-inputs. Output module-compatible mixer/pre-amp	633.06
WMK1	Wall Mounting Kit for C10/C20 & CAM2	400.55
PVMC	Module Security Cover, for VMIX	43.15

† While supplies last.

Matrix Controller & Accessories

Matrix

♦	CORE8X8	I/O Digital DSP Matrix, Drag and Drop, Stackable	3,035.34
♦	CORE12X4	I/O Digital DSP Matrix, Drag and Drop, Stackable	3,035.34
♦	CORE4X12	I/O Digital DSP Matrix, Drag and Drop, Stackable	3,035.34

Matrix Accessories

♦	RAC5	Remote Control	168.63
♦	RAC8	Remote Control	168.63
♦	NSM	Noise Sensing Microphone	179.87
♦	URC200	IP-Based Remote with LCD Display	1,525.72
♦	URC	Programmable Remote Controller	449.68
♦	PPM8	8-Button Paging Microphone	888.12
♦	PPMKeypad	PPM Keypad Extension (for PPM above)	393.47
♦	PPMIT5	IP Touchscreen Paging Station	3,507.50
♦	JB	RS485 Junction Box for Splitting/Extending PPM/URC	42.72

Telephone Interface & Zone Paging Products

Single-Zone Universal Telephone Interface

UTI1	Universal Telephone Interface (+20 CU), Single-Zone	345.06
RPKUT11	Rack Mount & Security Cover for UTI1	69.84

Multi-Zone Universal Telephone Interface

UTI312	Expandable Zone Controller, up to 12 zones (+20 CU)	530.33
ZX3	3-Zone Expansion Module for UTI312 (1 incl. w/ UTI312)	175.33

PCM2000 Modular Paging/Zone Control System for 1-99 Zones

PCMSYS3	Pre-Assembled 3-Zone PCM2000 Paging System, expandable	858.71
PCMTIM	PCM2000 Telephone Interface, Code Call, Night Ring (one required per system)	292.92
PCMCPU	Central Processing Unit (one required for every 9 zones)	238.89
PCMTBM	Talkback Module (one required per system - optional)	221.40
PCMZPM	Zone Paging Module (3 zones per module)	204.13
PCMP52	Power Supply (one required per PCMCPU)	60.84
RPK84	Rack Mount Kit for PCM2000, for up to 6 Modules	55.96
RPK88	Rack Mount Kit for PCM2000, holds up to 10 Modules	210.54

Loop Start Interface

PRSLSI	Loop Start Interface/Power Supply, 24V DC, 450mA (+9 CU)	119.28
--------	--	--------

Paging Electronics

ADP1	Analog Door Phone	312.75
AFDS2	Automatic Failure Detector/Substitutor	1,522.80
ANS501	Ambient Noise Sensor w/ Power Supply & Mic	541.75
ANS500M	Additional Microphone for ANS501 & ANS1R	55.42
BOMDMU	Automated Multiple Digital Messaging, Call Stacking	3,568.73
DFT120	Digital Paging Feedback Terminator	1,657.14
NR100	Night Ringer	170.32
TAMB2	Telephone Access Module (24V DC power supply required; not included)	368.36
TAMB2PS	Telephone Access Module (24V DC power supply included)	416.85
TG4C	Tone Generator (req. 12V - 48V DC Power Supply, 30mA)	247.71
VAR1	Voice-Activated Relay (req. 12V - 24V Power Supply, 100mA)	213.55
ZPM3	3-Zone Paging Module	569.09
PRS2403	24V DC, 300mA (+6 CU) Power Supply	44.86
PRS40C	12V DC, 300mA Power Supply	39.93
RPK91	Rack Mount Kit for TAMB2 & TAMB2PS	56.50

♦ These items do not qualify for free freight.

Sound Pressure Level Meter

SPLM	Digital Sound Pressure Level Meter	337.26
------	------------------------------------	--------

Voice Over Internet Protocol (VoIP)

MVP130BG	1-port FXS/FXO VoIP Gateway	825.99
MVP210BG	2-port VoIP Gateway	1,858.44
MVP410BG	4-port VoIP Gateway	3,097.46
MVP810BG	8-port VoIP Gateway	5,162.44

Music & Input Sources

CDR1	Single-Disc CD Changer w/ AM/FM Receiver	536.45
DRZ35	Receiver, AM/FM, 35-watt, 4 zones	826.02
DST1	Digital Stereo Tuner, 60 total presets	464.23
RK78	Rack Mount Kit for CDR1 (3-1/2" High)	112.91

Input Transformers

TL100	1:1 Ratio Plug-In Matching Transformer	90.07
TL600	Plug-In 600-ohm Matching Transformer	118.45
WMT1A	Hi-Z Line Input Matching Transformer, 600-ohm	58.23
WMT1AS	Hi-Z Line Input Matching Transformer, 600-ohm and Speaker Line	86.88

Microphones & Accessories

Microphones

Handheld Microphones

HDU250	Handheld, Neo Magnet Dynamic, Uni-directional	220.68
HDU150	Handheld, Dynamic, Uni-directional	181.49
HDO100	Handheld, Dynamic, Omni-directional	181.49
MC27	Mic stand clip for HDU150, HDU250, & HDO100	10.95

Gooseneck Microphones

GCU250	Gooseneck, 18" Semi-rigid, Condenser, Uni-directional	390.50
GDU150	Gooseneck, 16" Flexible, Dynamic, Uni-directional	123.10
MGN19	Gooseneck, 19" Flexible, Dynamic, Omni-directional	164.97
WSGCU250	Foam windscreen for GCU250	7.28

Desktop Microphones

DDU250	Desktop, Dynamic, Uni-directional, Push-Talk/Lock	251.08
MBS1000A	Desktop, Dynamic, Uni-directional, Push-Talk/Lock	278.96

Other Microphone Types

SCU250	Boundary, Condenser, Uni-directional, 20' Mini-cable	279.07
WCU250	Overhead Hanging Choir, Condenser, Uni-directional	334.79

Wireless Microphone System

UDMS800BP	Wireless Microphone System, w/ Body-pack Xmtr, Lavalier Mic, and UHF Receiver	416.85
UDMS800HH	Wireless Microphone System, w/ Handheld Microphone/Xmtr, and UHF Receiver	416.85
UDR800	800-Channel, PLL-Synthesized UHF Receiver	277.90
UHT800	Handheld Microphone w/Xmtr	162.11
UBP800	Body-pack Xmtr w/ Lavalier Microphone	162.11
BCHM	Headset Microphone, for use w/ Body-pack Xmtr	47.69
RPK89	Rack Mount Kit (Single) for UDR800 Wireless receiver	31.34
RPK90	Rack Mount Kit (Double) for UDR800 Wireless receivers	43.84
MC28	Microphone clip, for UHT800 Wireless Mic	10.75

Microphone Accessories

DS3	Microphone Desk Stand	37.41
MAC	Microphone Cable, 25', Female XLR to Bare Wire End	53.40
MSM	Low Profile Shock Mount, Female XLR Connector	61.56
SB6	Adjustable Mic Stand w/Boom, Tripod Base, 30" Boom Arm	94.41
SF4	Adjustable Microphone Floor Stand, Round Weighted Base	66.17
XLR25	Microphone Cable, 25', Female XLR to Male XLR	58.86

RCA Cables

†	MRCA3	Monaural RCA to RCA 3-Foot Cable	8.99
---	-------	----------------------------------	------

†	MRCA6	Monaural RCA to RCA 6-Foot Cable	10.61
	SRCA6	Stereo RCA to RCA 6-Foot Cable	19.94

Attenuators

AT10A	10-Watt Attenuator, Single-gang size	48.16
AT35A	35-Watt Attenuator, Double-gang size	55.58
ATP10	10-Watt Attenuator w/ Priority Bypass, Single-gang size	71.54
ATP35	35-Watt Attenuator w/ Priority Bypass, Double-gang size	86.61

Power Supplies

PCMPS2	12V DC, 1.5A Power Supply (required for PCMCPU)	60.84
PRS40C	12V DC, 300mA Power Supply	39.93
PRS48	48V DC, 100mA Power Supply	120.94
PRS2403	24V DC, 300mA (+6 CU) Power Supply	44.86
SPS2406	24V DC, 600mA (+12 CU) Switching Power Supply	92.07
SPS2410	24V DC, 1A (+20 CU) Switching Power Supply	139.29
SPS2425	24V DC, 2.5A (+50 CU) Switching Power Supply	186.50
SPS2466	24V DC, 6.6A (+132 CU) Switching Power Supply	395.56

Intercom Systems

PI & SI Series High-Power Intercom Systems

PI35A*	Control Center, 35-watt Program Amplifier, 20-watt Intercom, 25 Stations, Non-Expandable	3,110.32
SI35A *	Same as PI35A, But Expandable to 75 Stations	3,381.98
SBA225*	25-Key Station Selector Panel for SI35A	656.24
SCR25A**	Call-In Module for SBA225	624.47

* Connectors are not supplied with these items. See Accessories listed below.

** See product literature for power supply requirements.

Accessories

CA10A	Call-In Switch w/ SCR latch circuit	42.79
CA11A	Call-In Switch w/ Privacy & SCR latch circuit	46.70
CA17	Call-In Switch, momentary closure	33.37
2518	Connector Kit (30 pcs.), 18 Ga.	44.68
2520	Connector Kit (30 pcs.), 20 Ga.	44.68
2522	Connector Kit (30 pcs.), 22 Ga.	44.68
TL156	Insertion Tool	44.52
TWK351	2-Wire Adapter Kit (permits light call-in on 2-conductor shielded cable)	202.78

† While supplies last.

20150203

Not responsible for typographical errors.

MSRP part 1

Bogen Pricing Worksheet

TAB 2 of 3

Model No.	Description	Standard Qty per Carton	List
BOGEN SPEAKERS			
Easy Install® / Easy Design Speaker Line			
Easy Install Ceiling Speakers			
SM1EZ	Easy Install Speaker w/ single tap, 1W, Off-white	5	81.89
SM4T	Easy Install Speaker w/ multiple taps, 4W, Off-white	5	78.74
SMTB	Tile Bridge for Easy Install (SM1EZ / SM4T) Speakers (5 per carton total)	5	55.58
Easy Design Ceiling Speakers			
CS1EZ	1W, Volume Control, Terminal Strip, single tap, Off-white	6	61.90
Easy Design Wall Baffle Speakers			
WB1EZ	1W, Volume Control, Terminal Strip, single tap	4	86.47
Easy Design Horn Loudspeakers			
HS7EZ	7W Horn Loudspeaker, single tap w/Vol. Ctrl	1	130.25
HS15EZ	15W Horn Loudspeaker, single tap w/Vol. Ctrl	1	156.56
HS30EZ	30W Horn Loudspeaker, single tap, w/Vol. Ctrl	1	197.88
TCSPT1	Terminal/Tap Cover (optional, for HS15/30EZ)	1	14.14
BC1	Beam Clamp, for Horn Speakers (except FMH15T)	1	12.39
HSES10	Horn Speaker Electrical Strap, 10 per pack (For horn models above, except HS7EZ)	10	13.65
Ceiling Speakers, Assemblies			
Speaker - 4" Compact - 25/70 Volt - Assembly			
SEC4T	Wide Dispersion Ceiling Speaker, 4", 4W max.	10	35.21
Speakers - 8", Transformer -- 25/70 Volt			
S86	8" Speaker, 6 oz. Magnet	16	18.57
S810	8" Speaker, 10 oz. Magnet	16	22.87
T725	Transformer: 4, 2, 1, 1/2, 1/4, 1/8 Watt Taps	16	12.16

T72510	Transformer: 10, 5, 2-1/2, 1-1/4, 5/8 Watt Taps	16	20.03
--------	---	----	-------

Speaker/Transformer Assemblies

S86T725	S86 Speaker with T725 Transformer	16	28.49
S86T725BR	S86T725 with Terminal Strip	16	36.09
S810T725	S810 Speaker with T725 Transformer	16	32.33

Ceiling Grille/Speaker/Transformer Assemblies

S86T725PG8W	S86T725 Assembly on PG8W Grille, Off-white	6	35.91
S86T725PG8U	S86T725 Assembly on PG8U Grille, Bright White	6	35.91
S86T725PG8WVR	S86T725PG8W, Off-white, w/ Recessed Volume Control	6	55.29
S86T725PG8UVR	S86T725PG8U, Bright White, w/ Recessed Volume Control	6	55.29
S86T725PG8WVK	S86T725PG8W, Off-white, w/ Volume Control Knob	6	56.46
S86T725PG8UVK	S86T725PG8U, Bright White, w/ Volume Control Knob	6	56.46
S86T725PG8WBR	S86T725BR on a PG8W Grille, Off-white	6	48.36
S86T725PG8UBR	S86T725BR on a PG8U Grille, Bright White	6	48.36
S86T725PG8WBRVR	S86T725BR on PG8W Grille, Off-white, w/ Recessed Volume Control	6	66.06
S86T725PG8UBRVR	S86T725BR on PG8U Grille, Bright White, w/ Recessed Volume Control	6	66.06
S86T725PG8WBRVK	S86T725BR on PG8W Grille, Off-white, w/ Volume Control Knob	6	68.01
S86T725PG8UBRVK	S86T725BR on PG8U Grille, Bright White, w/ Volume Control Knob	6	68.01

* Note: Shipping weight shown is for entire carton (quantity as indicated).

Ceiling Grille/Speaker/Transformer Assemblies, continued

S810T725PG8W	S810T725 on PG8W Grille, Off-white	6	43.17
S810T725PG8U	S810T725 on PG8U Grille, Bright White	6	43.17
S810T725PG8WVR	S810T725PG8W, Off-white, w/ Recessed Volume Ctl	6	59.07
S810T725PG8UVR	S810T725PG8U, Bright White, w/ Recessed Volume	6	59.07
S810T725PG8WVK	S810T725PG8W, Off-white, w/ Volume Knob	6	59.07
S810T725PG8UVK	S810T725PG8U, Bright White, w/ Volume Knob	6	59.07

Mounting Kits

Beam Mounting Kits (Horns)

BC1	Beam Clamp, for Horn Speakers (except FMH15T)	1	12.39
-----	---	---	-------

Ceiling Mounting Kits (8" Ceiling Speakers)

MR8	Steel Plaster Ring	25	22.26
RE84	Round Recessed Enclosure, 4-1/4" Depth	12	19.56
TB8	Tile Bridge for 8" (S86/S810) Recessed Speakers and AS1 Ceiling Speaker	12	11.92

Metal Box Speakers

MB8TSL	Metal Box Speaker, 8" Cone, Wall Mount, Slant Front	2	82.56
MB8TSQ	Metal Box Speaker, 8" Cone, Wall or Ceiling Mount, Square Front	3	82.56
MB8TSLVR	Metal Box Speaker, 8" Cone, Wall Mount, 25/70V Xfrmr, Slant Front, w/ Volume Control	2	100.05
MB8TSQVR	Metal Box Speaker, 8" Cone, Wall or Ceiling Mount, 25/70V Xfrmr, Square Front, w/ Volume Control	3	100.05

Ceiling Speakers

Ceiling Speakers, Drop-In

**	CSD1X2	Ceiling Speaker, Drop-In, 1' x 2', Off-white	2	98.39
**	CSD1X2U	Ceiling Speaker, Drop-In, 1' x 2', Bright White	2	98.39
**	CSD1X2VR	Ceiling Speaker, Drop-In, 1' x 2', w/ Volume Control, Off- white	2	108.80
**	CSD1X2VRU	Ceiling Speaker, Drop-In, 1' x 2', w/ Volume Control, Bright White	2	108.80
**	CSD2X2	Ceiling Speaker, Drop-In, 2' x 2', Off-white	2	126.52
**	CSD2X2U	Ceiling Speaker, Drop-In, 2' x 2', Bright White	2	126.52
**	CSD2X2VR	Ceiling Speaker, Drop-In, 2' x 2', w/ Volume Control, Off- white	2	145.34
**	CSD2X2VRU	Ceiling Speaker, Drop-In, 2' x 2', w/ Volume Control, Bright White	2	145.34
**	CSD2X2L	Ceiling Speaker, Drop-In, 2' x 2', 8-ohm, Off-white	2	124.83
**	CSD2X2LU	Ceiling Speaker, Drop-In, 2' x 2', 8-ohm, Bright White	2	124.83
NEW ***	MCD1X2U	Modular Ceiling Speaker, Drop-In, 1' x 2', Bright White, includes MCD1X2UGRILLE and MCDMOD	4	77.00
NEW ***	MCD2X2U	Modular Ceiling Speaker, Drop-In, 2' x 2', Bright White, includes MCD2X2UGRILLE and MCDMOD	4	99.00
NEW ***	MCD1X2UGRILLE	Drop-In, 1' x 2' Ceiling Grille, Bright White (for use with MCDMOD)	4	33.00
NEW ***	MCD2X2UGRILLE	Drop-In, 2' x 2' Ceiling Grille, Bright White (for use with MCDMOD)	4	48.40
NEW ***	MCDMOD	Speaker Module (for use with MCD1X2UGRILLE or MCD2X2UGRILLE)	4	66.00

* Note: Shipping weight shown is for entire carton (quantity as indicated).

** Note: CSD-series speakers can only be ordered in multiples of two (2) speakers.

*** Available Q2 2015. MCD-series speakers and modules can only be ordered in multiples of four (4) units.

High-Fidelity Ceiling Speakers

HFCS1	Ceiling Speaker, Coax 6" Polypropylene LF, 3/4" HF, 75W, 70V, 16-ohm, Off-white	1	173.69
HFCS1B	Ceiling Speaker, Coax 6" Polypropylene LF, 3/4" HF, 75W, 70V, 16-ohm, Black	1	173.69
HFCS1LP	Ceiling Speaker, Low Profile, 7-3/4" Deep, Coax 6" Polypropylene LF, 3/4" HF, 75W, 16-ohm, Off-white	1	173.69
HFCS1LPB	Ceiling Speaker, Low Profile, 7-3/4" Deep, Coax 6" Polypropylene LF, 3/4" HF, 75W, 16-ohm, Black	1	173.69
HFSF1	Ceiling Speaker, Small-Footprint, Coaxial 4" Polypropylene LF, 3/4" HF, Off-white	1	127.37
CSUB	Ceiling Subwoofer, 150W / 8-ohm, 64W / 70V, Off-white	1	405.50
TBSF	Tile Bridge and Support Ring for HFSF1	1	16.21
CK10	10-foot Cable Kit - Silver	1	22.82
TBCR	Tile Bridge & C-Ring combination for OCS1, HFCS1, and HFCS1LP	1	28.62

Mini Pendant Speakers

MPS1B	Mini Pendant Speaker, 4.5" Driver, Black	1	185.27
MPS1W	Mini Pendant Speaker, 4.5" Driver, White	1	185.27
MPS2B	Mini Pendant Speaker, 4.5" LF, 3/4" HF, Black	1	247.32
MPS2W	Mini Pendant Speaker, 4.5" LF, 3/4" HF, White	1	247.32

Wall Baffle Speakers, Assemblies

Wall Baffle/Speaker/Transformer Assemblies

WBS8T725	S86T725 in WB8 Baffle	4	66.08
WBS8T725V	WBS8T725 w/ Volume Control	4	81.10
WBS8T725BR	WBS8T725 w/ Terminal Strip	4	76.83
WBS8T725BRV	WBS8T725BR w/ Volume Control	4	90.63
WBS810T725	S810T725 in WB8 Baffle	4	73.46

Paging Horns

BDT30A	30-Watt Bi-directional Horn w/ Transformer	6	264.01
IH8A	Paging Horn, 15 Watts, 8 Ohms	12	86.16
KFLDS30T	30-Watt Wide-Dispersion Horn w/ Transformer	1	194.26
SP58A	7.5-Watt Paging Speaker, 8 Ohms	24	92.63
SPT5A	7.5-Watt Paging Speaker w/ Transformer	24	117.86
SP158A	15-Watt Horn, 8 Ohms	12	134.32
SPT15A	15-Watt Horn w/ Transformer	12	152.71
SP308A	30-Watt Horn, 8 Ohms	6	166.74
SPT30A	30-Watt Horn w/ Transformer	6	196.76
TCSP1	Terminal/Tap Cover (optional; for BDT30A,	1	14.14

	SP158/308A, SPT15/30A, KFLDS30T)		
BC1	Beam Clamp, for Horn Speakers (except FMH15T)	1	12.39
HSES10	Horn Speaker Electrical Strap, 10 per pack (For horn models above, except SP58A and SPT5A)	10	13.65

Grilles, Baffles

Ceiling and Wall Baffles for 8" Speakers

PG8W	Round Steel Grille, Off-white	20	11.80
PG8U	Round Steel Grille, Bright White	20	11.80
SG8W	Round Steel Grille, Bright White, w/ Hidden Studs	10	16.21
WB8	Wall Baffle, Walnut Finish	4	31.72

Buffer & Volume Controls

BUFEX	Attenuator, Buffer, Speaker Expander for Self-Amplified Speakers (-1 CU)		60.71
SLC	Passive Volume Control for Amplified Speakers (0 CU)		34.74

* Note: Shipping weight shown is for entire carton (quantity as indicated).

Flange-Mount Horn

FMH15T	15-Watt Flange-mounted Reentrant Type Horn, 70/25V	1	155.16
BBFM6	Flush-mount Enclosure, Black, for FMH15T	1	53.17
BBSM6	Surface-mount Enclosure, White, for FMH15T	1	80.94
FMHAR8	Adapter Ring, Fits FMH15T to SGHD8	1	37.10
SGHD8	Heavy Duty Grille, White, Use with BBFM6, BBSM6	1	60.71

Foreground Speakers

FG Series

	FG15B	15-Watt Foreground Speaker, Black	1	123.80
	FG15W	15-Watt Foreground Speaker, Off-white	1	123.80
†	FG30	30-Watt Foreground Speaker, Black	1	207.75

Vandal-Resistant Speakers *(please check for availability before ordering)*

	VRS1	Vandal-Resistant Speaker w/Transformer & Call-In Switch	1	172.77
	VRS2	Vandal-Resistant Speaker w/Transformer	1	160.72

Sound Columns

†	SCW20	20-Watt Sound Column, Walnut Finish	1	245.37
†	SCW35	35-Watt Sound Column, Walnut Finish	1	476.53

Self-Amplified Speakers**

Horn Speakers

SAH5	High-Efficiency, Digital Switching, Amplified Horn, 5W, 200mA, (-4 CU)	1	162.90
SAH15	High-Efficiency, Digital Switching, Amplified Horn, 15W, 450mA, (-9 CU)	1	191.23
SAH30	High-Efficiency, Digital Switching, Amplified Horn, 30W, 850mA, (-17 CU)	1	233.72
AH5A	Amplified Horn, 5-Watt, 300mA (-6 CU)	12	162.90
AH15A	Amplified Horn, 15-Watt, 900mA (-18 CU)	12	191.23
TCSPT1	Terminal/Tap Cover (optional, for AH5/15A)	1	14.14
HSES10	Horn Speaker Electrical Strap, 10 per pack	10	13.65

Drop-in Ceiling Speaker

***	ACD2X2	Amplified Drop-In Ceiling Speaker, 2' x 2', Off-white 1-Watt, 50mA (-1 CU)	2	122.76
***	ACD2X2U	Amplified Drop-In Ceiling Speaker, 2' x 2', Bright White 1-Watt, 50mA (-1 CU)	2	122.76

Ceiling Speakers

AS1	Amplified Speaker, 1-Watt, 50mA (-1 CU)	6	55.49
ASWG1	AS1 w/ Ceiling Grille, Off-white, Fixed Vol. Knob	6	68.46
ASWG1DK	AS1 w/ Ceiling Grille, Off-white, Detachable Vol. Knob	6	68.46
ASUG1	AS1 w/ Ceiling Grille, Bright White, Fixed Vol. Knob	6	68.46
ASUG1DK	AS1 w/ Ceiling Grille, Bright White, Detachable Vol. Knob	6	68.46
ASM1	Amplified Speaker, 1-Watt, 50mA, (-1 CU), w/ Front-Mounted Volume Control	5	85.24

Wall Baffle Speakers

ASWB1	AS1 with Wall Baffle, Walnut, 1-Watt, 50mA (-1 CU)	4	101.52
AMBSL1	Amplified Metal Box Speaker, 1-Watt, 50mA (-1 CU), Wall Mount, Slanted Enclosure, Off-white w/ Detachable Volume Knob	2	129.85
AMBSQ1	Amplified Metal Box Speaker, 1-Watt, 50mA (-1 CU), Wall Mount, Square Enclosure, Off-white w/ Detachable Volume Knob	3	129.85


† While supplies last.

* Note: Shipping weight shown is for entire carton (quantity as indicated).

** Note: All amplified speakers require 24V DC power supplies (see p. 6).

*** Note: ACD-series speakers can only be ordered in multiples of two (2) speakers.

Effective Feb. 01, 2015



20150203

TAB 2 of 3

Bogen Pricing Worksheet

TAB 3 of 3

Model No.	Description	List
<hr/> Metal-Driver Technology Speakers <hr/>		
<hr/> A-Series "Armadillo" Speakers <hr/>		
A2BLK	6" Alloy Cone, Coaxial, 100W, 8 ohms, Black	268.14
A2TBLK	6" Alloy Cone, Coaxial, 16W, 70V Xfrmr, Black	281.57
A2WHT	6" Alloy Cone, Coaxial, 100W, 8 ohms, White	268.14
A2TWHT	6" Alloy Cone, Coaxial, 16W, 70V Xfrmr, White	281.57
† A2GRN	6" Alloy Cone, Coaxial, 100W, 8 ohms, Green	268.14
A6BLK	2-Way, 6" Alloy LF, 1.1" HF, 150W, 8 ohms, Black	348.55
A6TBLK	2-Way, 6" Alloy LF, 1.1" HF, 32W, 70V Xfrmr, Black	361.95
A6WHT	2-Way, 6" Alloy LF, 1.1" HF, 150W, 8 ohms, White	348.55
A6TWHT	2-Way, 6" Alloy LF, 1.1" HF, 32W, 70V Xfrmr, White	361.95
† A6GRN	2-Way, 6" Alloy LF, 1.1" HF, 150W, 8 ohms, Green	348.55
A8BLK	2-Way, 8" Alloy LF, 1.1" HF, 175W, 8 ohms, Black	496.15
A8TBLK	2-Way, 8" Alloy LF, 1.1" HF, 64W, 70V Xfrmr, Black	536.06
A8WHT	2-Way, 8" Alloy LF, 1.1" HF, 175W, 8 ohms, White	496.15
A8TWHT	2-Way, 8" Alloy LF, 1.1" HF, 64W, 70V Xfrmr, White	536.06
† A8GRN	2-Way, 8" Alloy LF, 1.1" HF, 175W, 8 ohms, Green	496.15
† ASTB4	A-Series Terminal Boot, Terminal Protector, for use with A2, A6, & A8 models, 4 per pack	38.90
<hr/> High-Output, Long-Throw Loudspeaker <hr/>		
A12	Dual 6.5" Alloy LF Drivers, 1.9" Horn, 70V / 16 ohms, Black	555.80
TMA812	Adjustable Pole Mount, for use with A8 & A12 models	221.09
<hr/> Orbit Speakers <hr/>		
OCS1	Ceiling Speaker, Coax 6" Alloy LF, 3/4" HF, 100W, 70V/16-ohm, Off-white	233.77
OCS1B	Ceiling Speaker, Coax 6" Alloy LF, 3/4" HF, 100W, 70V/16-ohm, Black	233.77
OPS1B	Hanging Pendant Speaker, Coax 6" Alloy LF, 3/4" HF, 100W, 70V/16-ohm, Dark Gray	381.64
OPS1W	Hanging Pendant Speaker, Coax 6" Alloy LF, 3/4" HF, 100W, 70V/16-ohm, Off-white	381.64
CK10	10-foot Cable Kit - Silver	22.82
CK10B	10-foot Cable Kit - Black	22.82
CK10W	10-foot Cable Kit - Off-white	22.82
TBCR	Tile Bridge & C-Ring combination for OCS1, HFCS1,	28.62

Bogen Signature

S4B	2-way, 4.5" LF, 1" HF, 75W @ 8 ohms, Black	134.90
S4W	2-way, 4.5" LF, 1" HF, 75W @ 8 ohms, White	134.90
S4TB	2-way, 4.5" LF, 1" HF, 75W @ 8 ohms / 16W @ 70V, Black	157.39
S4TW	2-way, 4.5" LF, 1" HF, 75W @ 8 ohms / 16W @ 70V, White	157.39
S5B	2-way, 5.25" LF, 1" HF, 120W @ 8 ohms, Black	187.52
S5W	2-way, 5.25" LF, 1" HF, 120W @ 8 ohms, White	187.52
S5TB	2-way, 5.25" LF, 1" HF, 120W @ 8 ohms / 32W @ 70V, Black	209.10
S5TW	2-way, 5.25" LF, 1" HF, 120W @ 8 ohms / 32W @ 70V, White	209.10

In-Ground, Outdoor Speaker

G8G	Fully-sealed, MDT & MLS technologies, Coax 8" Alloy LF, 1" HF, 150W (8-ohm) / 64W (70V), Green	370.54
-----	--	--------

† While supplies last.
Apogee Sound International**Professional Loudspeakers**

♦	AMT12	12" LF Driver, 1" Horn, 200W (continuous)	385.00
♦	AMT15	15" LF Driver, 1" Horn, 300W (continuous)	440.00
♦	109-2140	Adjustable Rigging Beam Kit, for AMT12 & AMT15 (Zero-degree tight pack to 30-degree splay), includes all necessary hardware	264.00
♦	109-2151	AMT Rigging Kit	88.00
♦	108-2120	AMT12 Yoke Assembly	176.00
♦	108-2150	AMT15 Yoke Assembly	176.00
♦	ATS70GB	Tripod Speaker Stand, for AMT speakers	88.00

Bogen Pro Powered Loudspeakers

BP12DSP	12" LF Driver, 1.75" Compression Driver, RMS 350W	899.36
BP15DSP	15" LF Driver, 1.75" Compression Driver, RMS 350W	1,011.78

20150203

Not responsible for typographical errors.

TAB 3 of 3